

Group story


SHRI DHANIRAM IMPEX

Shri Dhaniram Impex is a leading manufacturer specializing in high-quality Fiber Reinforced Plastic (FRP) products. We produce a diverse range of durable, corrosion-resistant FRP items, leveraging cutting-edge technology and sustainable practices. With a focus on customer satisfaction and innovation, we strive to exceed expectations and set industry standards.



Index

FRP Grating



FRP Manhole



FRP Marker & Rubber Gaurd (Yellow)




FRP Grating

WE MANUFACTURE A WELL-DESIGNED AND DURABLE
FRP GRATING SYSTEMS FOR VARIOUS INDUSTRIES.

FRP GRATING (ALSO KNOWN AS FIBERGLASS
REINFORCED PLASTIC GRATING OR FIBERGLASS
GRATING) IS A COMPOSITE MATERIAL MANUFACTURED
BY COMBINING A MATRIX OF RESIN AND FIBERGLASS.


IT DOES NOT CORRODE LIKE STEEL GRATING AND IS
THEREFORE USED TO REDUCE MAINTENANCE COSTS
AND INCREASE ESTHETICS.




STRONG, LIGHTWEIGHT AND CORROSION-RESISTANT

WANT THE STRENGTH OF STEEL WITHOUT THE WEIGHT?
OUR FIBERGLASS-REINFORCED POLYMER (FRP)
GRATING PRODUCTS HAVE THE ADVANTAGE.

ADVANTAGES



APPLICATION





THE COMPARISON CHART

AGAINST COMPETITIVE MATERIALS.


OWING TO ITS TECHNICAL BENEFITS, FRP GRATING HAS BECOME INCREASINGLY POPULAR AS AN ALTERNATIVE MATERIAL COMPARED TO STEEL, ALUMINUM, AND TIMBER.

PARAMETER	SRK FRP	STEEL	ALUMINIUM	TIMBER
CORROSION RESISTANCE	HIGH	LOW	MEDIUM	LOW
STRENGTH	HIGH	HIGH	HIGH	LOW
WEIGHT	LOW	HIGH	LOW	MEDIUM
ELECTRICAL CONDUCTIVITY	LOW	HIGH	HIGH	MODERATE
THERMAL CONDUCTIVITY	VERY LOW	HIGH	HIGH	LOW
EMI/ RFI TRANSPARENCY	YES	NO	NO	YES
FABRICATION	EASY	EASY	MODERATE	EASY
LIFE CYCLE COST	LOW	MODERATE	MODERATE	HIGH
ENVIRONMENTAL IMPACT	LOW	HIGH	HIGH	LOW






MODEL NO.	Mesh Size [C/C]	GRATING SIZE	TOP SURFACE	SUITABLE FOR	SQ FT/ NOS
	40X40 MM	35MM (H) x 327MM (W) x 1007MM (L)	SMOOTH	CAR MOVEMENT	3.53
	40X40 MM	35MM (H) x 407MM (W) x 1007MM (L)	SMOOTH	CAR MOVEMENT	4.62




MODEL NO.	Mesh Size [C/C]	GRATING SIZE	TOP SURFACE	SUITABLE FOR	SQ FT/ NOS
	30X30 MM	45MM (H) x 307MM (W) x 1027MM (L)	CURVED	TRUCK MOVEMENT	3.37
	30X30 MM	45MM (H) x 397MM (W) x 1027MM (L)	CURVED	TRUCK MOVEMENT	4.38




MODEL NO.	Mesh Size [C/C]	GRATING SIZE	TOP SURFACE	SUITABLE FOR	SQ FT / NOS
	19X19 MM	38MM (H) x 310MM (W) x 1220MM (L)	SMOOTH	BUS MOVEMENT	4.00
	19X19 MM	38MM (H) x 385MM (W) x 1220MM (L)	SMOOTH	BUS MOVEMENT	5.04

AVAILABLE ANGLE




MODEL NO.	TYPE	ANGLE SIZE	STANDARD SIZE
	L ANGLE	50X50X4 MM	3 METERS
	L ANGLE	38x38x3 MM	3 METERS
	Y ANGLE	45x36x6.5 MM	3 METERS




MODEL NO.	Mesh Size [C/C]	GRATING SIZE	TOP SURFACE	SUITABLE FOR	SQ FT / NOS
	19X19 MM	38MM (H) x 310MM (W) x 1220MM (L)	SMOOTH	BUS MOVEMENT	4.00
	19X19 MM	38MM (H) x 385MM (W) x 1220MM (L)	SMOOTH	BUS MOVEMENT	5.04

AVAILABLE ANGLE



MODEL NO.	TYPE	ANGLE SIZE	STANDARD SIZE
	L ANGLE	50X50X4 MM	3 METERS
	L ANGLE	38x38x3 MM	3 METERS
	Y ANGLE	45x36x6.5 MM	3 METERS




APPLICATION REFERENCE



TRENCH COVER



WALKWAY




ELEVATION



STAIR TREAD




WALL FACING



INTERIOR

FRP Manhole

WITH A BETTER PERFORMANCE THAN CAST IRON,
DUCTILE IRON AND RCC MANHOLE COVERS, THIS
PRODUCT IS AN INDUSTRIAL REVOLUTION.







THE COMPARISON CHART

PARAMETER	SRK FRP	STEEL	ALUMINIUM	TIMBER
CORROSION RESISTANCE	HIGH	LOW	MEDIUM	LOW
STRENGTH	HIGH	HIGH	HIGH	LOW
WEIGHT	LOW	HIGH	LOW	MEDIUM
ELECTRICAL CONDUCTIVITY	LOW	HIGH	HIGH	MODERATE
THERMAL CONDUCTIVITY	VERY LOW	HIGH	HIGH	LOW
EMI/ RFI TRANSPARENCY	YES	NO	NO	YES
FABRICATION	EASY	EASY	MODERATE	EASY
LIFE CYCLE COST	LOW	MODERATE	MODERATE	HIGH
ENVIRONMENTAL IMPACT	LOW	HIGH	HIGH	LOW

ADVANTAGES



APPLICATION



FRP

Manhole

MEDIUM-DUTY APPLICATION



MODEL NAME
PROTECT

MODEL NO.
250X250

SHAPE
SQUARE

COVER TYPE
MANHOLE COVER WITH FRAME

Frame Size (Inch)	Frame Size (MM)	Clear Opening (Inch)	Clear Opening (MM)	Capacity
10X10	250X250	8X8	200X200	5T



MODEL NAME
GUARD

MODEL NO.
300X300

SHAPE
SQUARE

COVER TYPE
MANHOLE COVER WITH FRAME

Frame Size (Inch)	Frame Size (MM)	Clear Opening (Inch)	Clear Opening (MM)	Capacity
12 X 12	300X300	10X10	230X230	5T



MODEL NAME
MASTER

MODEL NO.
300X300

SHAPE
SQUARE

COVER TYPE
MANHOLE COVER WITH FRAME

Frame Size (Inch)	Frame Size (MM)	Clear Opening (Inch)	Clear Opening (MM)	Capacity
15 X 15	380X380	12X12	300X300	5T




MODEL NAME
SHIELD

MODEL NO.
450X450

SHAPE
SQUARE

COVER TYPE
MANHOLE COVER WITH FRAME

Frame Size (Inch)	Frame Size (MM)	Clear Opening (Inch)	Clear Opening (MM)	Capacity
18 X 18	450X450	14X14	350X350	5T



MODEL NAME
DURASEAL

MODEL NO.
450X600

SHAPE
RECTAN GULAR

COVER TYPE
MANHOLE COVER WITH FRAME

Frame Size (Inch)	Frame Size (MM)	Clear Opening (Inch)	Clear Opening (MM)	Capacity
18 X 24	450X600	14X20	350X500	5T



MODEL NAME
DURATOUGH

MODEL NO.
535X535

SHAPE
SQUARE

COVER TYPE
MANHOLE COVER WITH FRAME

Frame Size (Inch)	Frame Size (MM)	Clear Opening (Inch)	Clear Opening (MM)	Capacity
21X21	535X535	18X18	430X430	5T



MODEL NAME

URBAN

MODEL NO.

SHAPE

SQUARE

COVER TYPE

MANHOLE COVER WITH FRAME

Frame Size (Inch)	Frame Size (MM)	Clear Opening (Inch)	Clear Opening (MM)	Capacity
24 X 24	600X600	20X20	510X510	5T



MODEL NAME

THAR

MODEL NO.

SHAPE

SQUARE

COVER TYPE

MANHOLE COVER WITH FRAME

Frame Size (Inch)	Frame Size (MM)	Clear Opening (Inch)	Clear Opening (MM)	Capacity
28X28	710X710	24X24	600X600	5T

MODEL NAME

AQUASEAL

MODEL NO.

SHAPE

ROUND

COVER TYPE

OH TANK COVER WITH FRAME

Frame Size (Inch)	Frame Size (MM)	Clear Opening (Inch)	Clear Opening (MM)	Capacity
16 Dia	406 Dia	14 Dia	356 Dia	0.5T

MODEL NAME

HYDROLOCK

MODEL NO.

SHAPE

ROUND

COVER TYPE

OH TANK COVER WITH FRAME

Frame Size (Inch)	Frame Size (MM)	Clear Opening (Inch)	Clear Opening (MM)	Capacity
28 Dia	710 Dia	24 Dia	610 Dia	0.5T

FRP

Manhole

HEAVY-DUTY APPLICATION



MODEL NAME

DEFENDER

MODEL NO.

SHAPE SQUARE

COVER TYPE MANHOLE COVER WITH FRAME

Frame Size (Inch)	Frame Size (MM)	Clear Opening (Inch)	Clear Opening (MM)	Capacity
25 X 25	630X630	18X18	450X450	25T



MODEL NAME

EVOQUE

MODEL NO.

SHAPE SQUARE

COVER TYPE MANHOLE COVER WITH FRAME

Frame Size (Inch)	Frame Size (MM)	Clear Opening (Inch)	Clear Opening (MM)	Capacity
31 X 31	780X780	24X24	600X600	25T



MODEL NAME


LEGENDER

MODEL NO.

SHAPE ROUND

COVER TYPE MANHOLE COVER WITH FRAME

Frame Size (Inch)	Frame Size (MM)	Clear Opening (Inch)	Clear Opening (MM)	Capacity
32.5 Dia	800 Dia	24 Dia	600 Dia	25T



MODEL NAME

UTILITY

MODEL NO.

SHAPE SQUARE

COVER TYPE MANHOLE COVER WITH FRAME

Frame Size (Inch)	Frame Size (MM)	Clear Opening (Inch)	Clear Opening (MM)	Capacity
36.6X36.6	930X930	30X30	750X750	25T



MODEL NAME

DURAFLOW

MODEL NO.

SHAPE SQUARE

COVER TYPE STORM WATER COVER WITH FRAME

Frame Size (Inch)	Frame Size (MM)	Clear Opening (Inch)	Clear Opening (MM)	Capacity
30X30	750X750	24X24	600X600	12.5T



MODEL NAME

TITAN

MODEL NO.

SHAPE SQUARE

COVER TYPE RECESSED MANHOLE COVER WITH FRAME

Frame Size (Inch)	Frame Size (MM)	Clear Opening (Inch)	Clear Opening (MM)	Capacity
30X30	770X770	24X24	600X600	12.5T

FRP YELLOW

YELLOW FLOOR MARKER

**NOTHING BEATS SRK FRP SAFETY MARKERS
FOR FAST INSTALLATION, EASY MAINTENANCE AND
MAXIMUM STRENGTH FOR LINE MARKING THAT
HOLDS UP UNDER THE HEAVIEST INDUSTRIAL TRAFFIC.**

IN THE PAST, IT WAS TRADITIONALLY NORMAL PROCEDURE TO MARK LINES AND BOUNDARIES ON WAREHOUSE AND MANUFACTURING FLOORS WITH FLOOR PAINTS. THESE DAYS, FRP FLOOR MARKERS ARE USED AS THE MOST CONVENIENT AND INEXPENSIVE OPTION TO MARK AISLES, SINCE PAINTED LINES TEND TO CHIP, PEEL, AND CRACK, AND NEED REPLACEMENT ESPECIALLY

MODEL NAME	MODEL NO.	SIZE	STANDARD LENGTH	ACCESSORIES	STANDARD COLOR
		50X3 MM	3 METERS	3 SCREWS WITH PVC DOWEL PER METER	YELLOW
		100x3 MM	3 METERS	6 SCREWS WITH PVC DOWEL PER METER	YELLOW

APPLICATION

CORROSION FREE

MAINTANANCE FREE

UV RESISTANCE

CHEMICAL RESISTANCE

WATER PROOF

RE-USABLE

DURABLE LIFE

LOW INSTALLATION

NO PAINTING

EXCELLENCE STRENGTH

ONE TIME INSTALLTION



FRP

Yellow Floor Marker

&

Rubber Corner Guard

THE FRP YELLOW FLOOR MARKER OFFERS A GROUNDBREAKING SOLUTION TO THE RECURRING NEED FOR REPAINTING YELLOW MARKING LINES IN INDUSTRIAL AND PARKING AREAS. THIS INNOVATIVE CONCEPT INTRODUCES A VIRTUALLY PERMANENT HIGH-VISIBILITY YELLOW LINE, EFFECTIVELY REPLACING TRADITIONAL PAINTED LINES THAT ARE PRONE TO WEAR AND FADING.



RUBBER CORNER GUARD

RUBBER CORNER GUARDS ARE THE IDEAL SOLUTION TO PROTECT EDGES ON SQUARE OR SHARP COLUMNS. OUR RUBBER CORNER GUARDS ARE MADE OF HIGH QUALITY AND IMPACT-RESISTANT RUBBER. THEIR HIGH-INTENSITY REFLECTIVE FILMS INCREASE VISIBILITY AND HELP TO PREVENT COLLISIONS.



MODEL NAME	MODEL NO.	SIZE	STANDARD LENGTH	STANDARD COLOR
		100x100x9.5 MM	800 MM	BLACK

ADVANTAGES



APPLICATION





SHRI DHANIRAM IMPEX

Phone no. : +91 9893172716

Email : info@shridhaniramimpex.com

Address : Chhattisgarh (India)
Haryana (India)
Maharashtra (India)